

# Hamilton Safe Entrance Control Systems

October 2015 M S R P Pricing

## Hamilton Touch Screen Entrance Control System 2 Lane

**\*\* IMPORTANT - "ENTRANCE CONTROL SYSTEM" STANDARD EQUIPMENT HAS CHANGED \*\***

### Standard Equipment for HEC-SYSTEM (HP White Level 1 Glass)

- ADA compliant four door vestibule
- Heavy gauge Stainless Steel frame (Internally tested and passed Level 3 - .44 Magnum ballistics)
- Heavy gauge Stainless Steel doors (Internally tested and passed Level 3 - .44 Magnum ballistics)
- Cell Free Weapons detector standard on all units (E10092)
- System uses a programmable logic operating system (B10175)
- Magnetic door locks on all four doors (E0753)
- Push bars for both exterior doors (Door 1 and 4) (E10085)
- IR presence sensors in each chamber (E0750)
- Operator touch screen control console with two way communication (B10016)  
(Speaker, microphone, 100' audio cat 5 (E10100), 100' touch screen cat 5 (E10099), &  
(100' 6 conductor control (E10101)
- Key locks for exterior doors
- Wireless admit switch one standard with each unit (E10210)
- Door sweeps & threshold for both outside doors 1 and 4 (Stainless Steel finish)
- Ceiling - 3/4" Melamine - color is white
- ADA Compliant LCN 4041 heavy duty closer all four doors (H10063)
- LED Light package (E10107)
- ADA Handicap Button with shunt switch (E10080)

*CUL Listed - CSA Standard C22.2 No 205-m1983 Signal Equipment  
MEA - NYC Department of Buildings Approved  
CSFM - California State Fire*

- "Miami-Dade County Product Control Approved"  
*Double Out swing Door has been designed to comply with Florida  
Building Code, including the High Velocity Hurricane Zone.*

**Hamilton Touch Screen Entrance Control System ANSI 2 Lane**  
**( 2009 IBC - ICC/ANSI A117.1 - 2003 Interpretation )**

**Standard Equipment for HEC-TS-ANSI-1**

- ADA compliant four door vestibule with 5' turnaround
- Heavy gauge Stainless Steel frame (Internally tested and passed Level 3 - .44 Magnum ballistics)
- Heavy gauge Stainless Steel doors (Internally tested and passed Level 3 - .44 Magnum ballistics)
- Cell Free Weapons detector standard on all units (E10092)
- System uses a programmable logic operating system (B10175)
- Magnetic door locks on all four doors (E0753)
- Push bars for both exterior doors (Door 1 and 4) (E10085)
- IR presence sensors in each chamber (E0750)
- Operator touch screen control console with two way communication (B10016)  
(Speaker, microphone, 100' audio cat 5 (E10100), 100' touch screen cat 5 (E10099), &)  
(100' 6 conductor control (E10101)
- Key locks for exterior doors
- Wireless admit switch one standard with each unit (E10210)
- Door sweeps & threshold all four doors (Stainless Steel finish)
- Ceiling - 3/4" Melamine - color is white
- ADA Compliant LCN 4041 heavy duty closer all four doors (H10063)
- LED Light package (E10107)
- ADA Handicap Button with shunt switch (E10080)
- AL600ULM(R) Multi-Output Access Control Power Supply UL listed class 2 (E10103)  
*Agency Approvals*  
*UL Listed for Access Control Systems Units (UL 294)*  
*UL Listed Standard for Safety for Fire Protective Signaling Systems (UL 1481)*  
*CUL Listed - CSA Standard C22.2 No 205-m1983 Signal Equipment*  
*MEA - NYC Department of Buildings Approved*  
*CSFM - California State Fire*

**\*\* IMPORTANT - "ENTRANCE CONTROL SYSTEM" STANDARD EQUIPMENT HAS CHANGED \*\***

## 2013 Hamilton Touch Screen Entrance Control System 2 Lane

<u>Part No.</u>	<u>Description</u>	<u>Approximate Weight</u>	<u>M S R P</u>
HEC-TS-STD-HP1	Standard H/P White Level I System with Standard Ceiling	2,900 lbs	\$ 82,117.00
	with UL Level 1 Ceiling	2,950 lbs	\$ 84,847.00
	with UL Level 2 Ceiling	3,000 lbs	\$ 88,001.00
HEC-TS-STD-HP2	Standard H/P White Level II System with Standard Ceiling	3,900 lbs	\$ 88,645.00
	with UL Level 1 Ceiling	3,950 lbs	\$ 91,374.00
	with UL Level 2 Ceiling	4,000 lbs	\$ 94,529.00
HEC-TS-ANSI-1	Standard H/P White Level I System Per (( 2009 IBC - ICC/ANSI A117.1 - 2003 Interpretation ))	3,900 lbs	\$ 91,323.00
	with UL Level 1 Ceiling	3,950 lbs	\$ 101,211.00
	With UL Level 2 Ceiling	4,000 lbs	\$ 103,039.00
HEC-TS-ANSI-2	Standard H/P White Level 2 System with Standard Ceiling (( 2009 IBC - ICC/ANSI A117.1 - 2003 Interpretation ))	4900 lbs	\$ 98,391.00
	with UL Level 1 Ceiling	4,950 lbs	\$ 108,266.00
	with UL Level 2 Ceiling	5,000 lbs	\$ 109,979.00
HEC-BIDIR-ANSI	Bi-Directional H/P White Level I System Per (( 2009 IBC - ICC/ANSI A117.1 - 2003 Interpretation ))	2,200 lbs	\$ 69,397.00
	with Level 2 Glass	3,200 lbs.	\$ 74,032.00

As always Hamilton will design to suit your needs:

Reverse Entry and Exit available at no additional charge  
Custom width, depth, and height no problem (Call for price)  
L-Shaped, T-Shaped, & other special requests (Call for price)

**Hamilton Entrance Control System**

<b><u>Part No.</u></b>	<b><u>Optional Items Description</u></b>		<b><u>M S R P</u></b>
HEC1138	Photocell option for weapons detector (Counts people)	\$	1,417.00
E10210	Extra wireless admit switch	\$	194.00
HECVOICE	Alarm Voice (Recordable message for weapons detector alarm)	\$	1,082.00
B10016	Additional Touch Screen Operators console	\$	3,618.00
E10106	MD scope diagnostic program for Ceia detector	\$	606.00
HECSTDPAINT	Extremely durable powder coat paint doors and frame (Standard Bronze, Cream, special colors available on request) (( Standard 2 lane system - Does not include custom units ))	\$	6,180.00
HEC-VIDEO-COLOR	Video Package 3 = Color cameras wide dynamic (Built in cabin) (Door 1, Door2, & Door 4) 1 = Color dome camera over observation shelf 1 = Quad video switcher (Four Cameras) 1 = 15" color LCD flat screen 1 = Observation / Inspection Shelf at Door 2	\$	6,966.00
E10104	Test Device - Level 1 (Simulates a gun)	\$	670.00

<b><u>Part No.</u></b>	<b><u>Optional Items Description</u></b>		<b><u>M S R P</u></b>
E10107	Low Voltage LED Light Package (Included on standard units only)	\$	1,932.00
E10080	Shunt Switch On Outer Center Post (Included on standard units only)	\$	400.00
B10252	Threshold for door 2 (Lobby Side)	\$	134.00
B10253	Threshold for door 3 (Lobby Side)	\$	134.00
B10240	Lockable Service Hatch (Included on standard units only)	\$	348.00
B10239	Observation / Inspection shelf at door 2 (Included in Camera Package)	\$	271.00

**\*\* IMPORTANT - "ENTRANCE CONTROL SYSTEM" STANDARD EQUIPMENT HAS CHANGED \*\***